



Renal Diet HQ

Nephrology News You Can Use



Hello!

Welcome to the Renal Diet Headquarters Newsletter!

We are dedicated to providing you with information about kidney failure diets that you can share with your patients to help them as well. This month is National Blueberry Month, and we are sharing information about blueberries and a recipe that will help your patients!

I am a Registered Dietitian Nutritionist and owner of Renaldiethq.com, a website that provides meal planning to people with kidney failure, both before and during dialysis.

This newsletter is designed to help your office by providing quality information and recipes free of charge that can be copied and given to your patients.

Let us know topics you would like to hear about by emailing us at admin@renaldiethq.com with your topic ideas. We are looking forward to helping you make your patient's lives a little easier.

Thanks, and we look forward to serving you.

Mathea Ford, RDN, LD

Our website: www.renaldiethq.com

Renal Diet Grocery List - Canned Vs. Fresh Vegetables

Which Is Better for My Renal Pre-Dialysis Kidney Disease?

If you live in an area where fresh vegetables are not readily available or affordable, you may feel your options are limited to canned vegetables. It may also be the case that fresh vegetables are not available at this time of year for you to choose. If this is the situation that you are facing, you must consider many factors when choosing these items.

With kidney disease, you must take care to limit your consumption of protein, sodium, potassium, and phosphorus. You may need to watch your carbohydrate intake if you have diabetes as well. Unfortunately, because of these factors, canned vegetables can be a little trickier to pick than fresh vegetables. Don't forget you can choose frozen vegetables, and they are similar in nutritional content to what a fresh vegetable would be. So they may be a great compromise when you are really wanting to use fresh vegetables but they are not available. And remember, even though they may cost a little more, you will be eating less meat or protein so your grocery bill should be in a better place!

Sodium

Generally, canned foods are high in sodium. Fortunately, these items also are required to list the sodium content on the nutrition label. This part of the label can be consulted to see if the item would be acceptable or not.

(Continued on next page...)

The percent daily value (%DV) that is on the food label should be no more than 6-10% to stay within the limits of your pre-dialysis renal diet. Most canned foods are significantly higher than this amount. *Look for items that are marked sodium free, very low sodium or low sodium.* Items are marked as reduced sodium or light in sodium may be reduced to an acceptable level. Sometimes these canned foods are still at a sodium level that is too high for your intake.

Another tip – you can rinse canned vegetables and reduce the sodium content by an average of 35%. It's a great way to use regular canned vegetables if you already have them in the house and don't want to discard them.

Potassium

Sometimes if there is no salt added, there may be added potassium. You can notice if this is the case by checking the ingredient list. One form of potassium that is often used as a salt substitute is potassium chloride. If this is added, usually the food is too high in potassium to consume. When reading the label, check for the word potassium in the ingredient listing – if it's at the top, you probably have too much.

Potassium is not required to be marked on nutrition labels, yet some manufacturers add it for certain products. If a food is under 200mg the RDA may label it as 6%. This is what is acceptable for your intake. If it is 100mg or 3% the RDA, this is a low potassium food. If the item is above 6% it is too high for your current intake.

If potassium is not listed, you still need to be careful. You must be aware of vegetables that are low in potassium. If you are not sure, it is better to make note of the vegetable and check before you risk it being high in potassium.

Phosphorus

Labels are not required to post the phosphorus in foods either. If it is posted as an RDI (recommended dietary intake) make sure it is under 15%. These foods would be 150mg. If an item is 50mg (5%) or less it is a low phosphorus food. More than 15% is considered a high phosphorus food and should be avoided if your levels are high, which your doctor or dietitian can help you determine based on labs. Canned beans (black beans, re-fried beans, kidney

beans) are particularly high in phosphorus and should be avoided. Canned green beans and mixed vegetables are lower in phosphorus.

Carbohydrates

Sometimes canned vegetables have added sugar. If you have diabetes, you should be particularly concerned with this value. One carbohydrate serving is considered 15g. This information can be found in the "total carbohydrates" category on the food label. Total sugar that is in a food is grouped into this value, making it a more accurate number to look for if you have diabetes. Fiber also is something that you should pay attention to on the nutrition facts label. The higher the fiber, the better it is for your blood glucose control. A good source is considered 10% of the %DV and a high source is 20% of the %DV.

Serving Sizes

Be careful to note what the serving sizes are in food since often they are much smaller than you would assume. If you are consuming double the serving size, it is important to note that you are consuming double the sodium, potassium, phosphorus and carbohydrate amounts and thus they can be above your restriction. The serving size is listed in the nutrition facts label.

It is rare that canned foods are better than fresh foods.

There is much more to consider regarding canned vegetables. You still must be aware of which vegetables are high versus low in potassium and phosphorus. Yet, it is possible to include these items in your diet by taking note of certain items that may be added such as sodium or potassium.

You can choose fresh and frozen vegetables, which will be lower in sodium, but you still need to pay attention to the potassium and phosphorus amounts in them because they could be a product that is high in potassium or phosphorus naturally.

July is "National Blueberry Month"

Renal Diet HQ Features Blueberries For Renal Disease in this months newsletter recipe feature food.

Blueberries are one in hand full of fruits that are available year round, and July, which is high harvest, is National Blueberry Month. North American blueberries are grown to be available from March to October and are grown in approximately 32 states in the Untied States. Blueberries are made available frozen, fresh, dried, juice and canned and add color and flavor to many dishes including sauces, smoothies, breads, desserts and salads. They also make a great snack food eaten fresh by themselves. Blueberries can be incorporated into certain recipes for renal diets but are good for renal diets by themselves. Portion is the key and the additional ingredients are critical to pre-dialysis, pre-dialysis diabetics and dialysis patients. A 1/2 cup serving of blueberries is just 40 calories, 9 mg Phosphorus and 72 mg Potassium. Blueberries are excellent sources of Vitamin C, Dietary Fiber and manganese. They are also known to have antioxidant properties. Many growing states have blueberry festivals, for a list of blueberry festivals in your area visit www.blueberry.org/festivals.htm.

Please see the column next to this one for this month's featured recipe "Blueberry Dream Muffins" that is great for all three diets, pre-dialysis, diabetic pre-dialysis and dialysis.

References: US Highbush Blueberry Council, www.blueberry.org

<http://www.davita.com/recipes/breads/blueberry-dream-muffins/r/5810>

Nutrients Per Serving

- **Calories** 171
- **Protein** 3 g
- **Carbohydrates** 28 g
- **Fat** 5 g
- **Cholesterol** 18 mg
- **Sodium** 95 mg
- **Potassium** 39 mg
- **Phosphorus** 53 mg
- **Calcium** 54 mg
- **Fiber** 1.0 g

Provided by: www.renaldiethq.com

Blueberry Dream Muffins

Diet types:

- CKD non-dialysis, Dialysis, & Diabetes

Portions: 12 **Serving size:** 1 muffins

Ingredients

- 2 cups all-purpose flour
- 2 teaspoons baking powder
- 1/2 cup granulated sugar
- 1 large egg, lightly beaten
- 1 cup Rice Dream® rice beverage, original (unenriched)
- 1/4 cup vegetable oil
- 1 tablespoon lemon zest
- 1 cup frozen blueberries

Preparation

1. Preheat oven to 375° F.
2. Combine flour, baking powder and sugar in mixing bowl.
3. In a separate bowl, combine egg, Rice Dream®, vegetable oil and lemon zest.
4. Pour liquid ingredients into flour mixture. Mix ingredients lightly until moistened; do not over mix.
5. Gently fold blueberries into batter.
6. Lightly spray 12 muffin tins with nonstick cooking spray.
7. Spoon batter into muffin tins.
8. Bake for 25 minutes or until toothpick comes out clean.

Renal and renal diabetic food choices

- 1 starch
- 1/2 fruit, low potassium
- 1/2 high calorie
- 1/2 fat

Carbohydrate choices

2

Helpful hints

- An alternative to spraying muffin tin with cooking spray is to line tins with muffin paper cups.
- Freeze extra muffins then microwave for 30 seconds to serve later.

Clinic Stamp

RENAL DIET HEADQUARTERS
BY HEALTHY DIET MENUS FOR YOU



Renal Diet Headquarters
\$5/month off use coupon code
JULYNEWS
Online meal plans and information about renal diets
www.renaldiethq.com

For advertising opportunities in our newsletter—email us at info@nickannypublishing.com
If you would like more information on having a newsletter for your office—go to www.nickannypublishing.com
To have your office added to our newsletter mailings—email us at admin@renaldiethq.com with your name and address.
You have permission to reprint the articles in this newsletter for patient use only.

Renal Diet Headquarters

PO Box 6554

Moore, OK 73153

